


Glycerin Suppositories Adults Laxative for relief of occasional constipation 12 or 24 suppositories ^[1]



Recommended use or purpose:

Laxative for relief of occasional constipation.

Ingredients:

Medicinal Ingredients (per dose unit): Glycerin (1,2,3 –Proponetriol, Glycerol) 2.34 g (90 percent) Non-medicinal Ingredient: Sodium Stearate

Dosage:

Adults and children 6 years and older: 1 suppository once daily. Do not take within 2 hours of another medicine as desired effect of the other medicine may be reduced. Do not use for more than 7 days. Instructions for use: Remove suppository from its aluminum foil. Gently insert into the rectum. Allow 15 minutes to 1 hour to produce bowel movement.

Contraindications:

Do not use in the presence of abdominal pain, nausea, fever, vomiting or rectal irritation.

Warning:

For rectal use only. Consult a healthcare practitioner promptly in case of bleeding. Consult a healthcare practitioner if condition persists or worsens. Discontinue use and consult a healthcare practitioner if rectal discomfort or a burning sensation occurs. Keep out of reach of children.

*For additional information, or to learn more about the proper use of this product, be sure to

read the product leaflet and/or product monograph before use.

Accordion Type:

Collapsible

Source URL: <https://www.sandoz.ca/en/glycerin-suppositories-adults-laxative-relief-occasional-constipation-12-or-24-suppositories>

Links

[1] <https://www.sandoz.ca/en/glycerin-suppositories-adults-laxative-relief-occasional-constipation-12-or-24-suppositories>

[2] <http://www.omep.ca/en/>

[3] <https://www.sandoz.ca/sites/www.sandoz.ca/files/Omep%20Feuille%20EN.pdf>

[4] https://www.sandoz.ca/sites/www.sandoz.ca/files/OMEP_Product%20Monograph.PDF